



**ROSENFIRE**  
YOUR NEXT EQUIPMENT

# TECHNICAL SHEET



## RESCUE CUSHION LIFE JUMP X-21A

High capacity evacuation system to rescue unlimited endangered persons.



LIFE JUMP X-21A has capacity to absorb a jumping person from up to 21 meters each 30 seconds giving a high possibility of survival in very dangerous environments, where other systems cannot grant an escape way. The construction of the LIFE JUMP X-21A grants the maximum capability having 2 separate air chambers: the upper to literally brake the fall and the lower to avoid impact to the floor. For this reason 2 fans are provided with balanced capacity of flow and pressure to grant this service.



**ROSENFIRE S.r.l.**  
Via G. Bormioli, 3 - I-25135 BRESCIA / ITALY  
Ph. +39 030 2548566 - Fax +39 030 2548420  
Web [www.rosenfire.it](http://www.rosenfire.it) - Mail [info@rosenfire.it](mailto:info@rosenfire.it)





**ROSENFIRE**  
YOUR NEXT EQUIPMENT

# TECHNICAL SHEET



## RESCUE CUSHION LIFE JUMP X-21A

### HIGHLIGHTS

Max jumping height 21 meters / 70 feet. Clear and wide center marking.

First inflation time 60 seconds. Re-inflation time 30 seconds.

Lateral breathers, adjustable for smooth landing.

CE Certified fabrics PVC coated - Non flammable, tears and cut resistant, anti acid, oil and petrol resistant, anti-ageing.

CE Certified fans.

Non return valve on fans to avoid accidental cushion deflation  
Calibrated fans for proper flow and pressure inflation capacity

### SPECIFICATIONS LIFE JUMP X-21A

Height rating: 21 meters (70 feet)

Inflated dimensions: 4,5 x 6 x 2,7 mt.

Useful surface: 27 m<sup>2</sup>


Cushion ready from arrival: 5 minutes

Inflation time (first): 60 seconds

Re-inflation time after each jump: 30 seconds

Upper chamber fan: 21A - 20" / 8P / 230 V-50Hz

Lower chamber fan: 21A - 20" / 4P / 230 V-50Hz



Shipping dimensions:

N.1 pallet 100 x 120 x 100 cm.

N.1 pallet 80 x 120 x 80 cm.

Shipping weight (Total): 240 kg

### NORMES

Fabric is certified for:

- Tear resistance as per EN ISO 1421/ 1 – DIN 53354
- Cut resistance as per DIN 53363:2003
- Temperature resistance as per EN 1876/2:1998
- Fire resistance as per M2 CLASS
- Light resistance as per ISO 105 B02:1998 (for better endurance in time)



**ROSENFIRE S.r.l.**  
Via G. Bormioli, 3 - I-25135 BRESCIA / ITALY  
Ph. +39 030 2548566 - Fax +39 030 2548420  
Web [www.rosenfire.it](http://www.rosenfire.it) - Mail [info@rosenfire.it](mailto:info@rosenfire.it)





**ROSENFIRE**  
YOUR NEXT EQUIPMENT

# TECHNICAL SHEET



## RESCUE CUSHION LIFE JUMP X-21A


### X-21A

4.5x6x2.7 H


C7100009

Cuscino da salto REXUE


JUMP 21A



LIFE JUMP X-21A – Dimensions



Upper chamber fan 20'



Lower chamber fan 20'



**ROSENFIRE S.r.l.**  
Via G. Bormioli, 3 - I-25135 BRESCIA / ITALY  
Ph. +39 030 2548566 - Fax +39 030 2548420  
Web [www.rosenfire.it](http://www.rosenfire.it) - Mail [info@rosenfire.it](mailto:info@rosenfire.it)

